Pollution Incident Response Management Plan



2024

Purpose

LOD Co-Operative Haulage and Transport Trading as LODEHAUL holds an Environment Protection License with the NSW Environment Protection Authority for 190 Shellharbour Road Kemblawarra NSW.

License Number

As per the Protection of the Environment Operations Act (1997) (the "POEO Act"), the holder of an environment protection license must prepare, keep, test and implement a pollution incident response management plan that complies with Part 5.7A of the POEO Act in relation to the activity to which the license relates.

If a pollution incident occurs in the course of an activity so that material harm to the environment (within the meaning of section 147 of the POEO Act) is caused or threatened, the person carrying on the activity must immediately implement this plan in relation to the activity required by Part 5.7A of the POEO Act.

A written copy of this plan must be kept at 190 Shellharbour Road Kemblawarra and be made available on request by an authorised NSW Environment Protection Officer and to any person who is responsible for implementing this plan.

NOTE: This plan must be developed in consultation with:

- NSW EPA's "Environmental guidelines: Preparation of pollution incident response management plans"; and
- The Protection of the Environment Operations Act 1997 and the Protection of the Environment Operations (General) Regulation 2009.

Contents

Purpose 1
Contents2
Environmental Protection License Details3
Notification of Relevant Authorities4
Description and likelihood of hazards5
Inventory of possible pollutants6
Safety equipment6
Local Community and Neighbors Notification and communication procedures. 7
Communicating with neighbours and the local community 7
The majority of potential pollutions on site are:8
Actions to be taken during or immediately after a pollution incident 9
Coordinating with persons9
Staff training10
Testing of PIRMP10
Site Plan12
Location of Pollutants



Environmental Protection License Details.

Name of License	LOD Co-Operative and	PLAN ACTIVATION	Name: Raquel Moulds	
	Haulage LTD		Position General Manager	
	Trading as LODEHAUL		24 hour contact details	
			0402 016 699	
Environmental Protection	12818	NOTIFYING	Name : Paul Busch	
License Number :		RELEVANT	Position: Operations	
		AUTHORITIES	24 hours contact details	
			0418 237 806	
Premises Name and Address	Lodehaul	MANAGING	Name: Brett Oldfield	
	190 Shellharbour Road	RESPONSE TO	Position: Allocations	
	Kemblawarra NSW 2505	POLLUTION	24 hour contact details	
		INCIDENT	0409 440 296	
Company contact details	Name: Raquel Moulds			
	Position: General Manager			
	Business Hours 7am > 5pm			
	Phone 02 4275 1115			
	After hours contact numbers 0402016699, 0418237806, 0409440296			
	Email: operations@lodehaul.com.au			

Notification of Relevant Authorities

- Incident Notification
- Identify any persons or authorities required to be notified as per Part 5.7A of the POEO Act

Relevant Authorities Include	Fire and Rescue	000
 Fire and Rescue Environment Protection Authority Health NSW (nearest public health unit) Safe work NSW Local Authorities (usually local council) in which the pollution has occurred (Note: The local council and public health unit will vary depending on the location of the pollution incident) 	Environment Protection Authority	131555 0299955555
	Health NSW	02 9391 9000
	Minister for Health Wollongong	02 4222 5000
	Safe Work NSW	13 10 50
	Wollongong Council	02 4227 7111
Local Authority	Port Kembla Police Station Wollongong Fire Station	02 4276 5199 02 4224 2020

Description and likelihood of hazards

Fuel Diesel

Description	Likelihood of hazard Occurring	Pre-emptive actions taken
Risk to environment if released	Likelihood of fuel spillage is	Operations stop immediately if any spillage of
into waterways.	minimal.	minerals occurs.
Could be used to fuel a fire		Spillage to be cleaned up immediately
Exhaust Fumes could be harmful		All fuel is to be stored in the marked areas
if consumed in large amounts		Designated fueling area.
		Spill kits are kept on the premises and should be used as required.
		Fire extinguishers are available.
		Personnel will be trained in refueling and operation of mobile equipment

Fuel Petrol

Description	Likelihood of hazard Occurring	Pre-emptive actions taken
Could be used to fuel a fire	Likelihood of fuel spillage is	Operations stop immediately if any spillage of
	minimal.	minerals occurs.
Risk to environment if released		
into waterways		Spillage to be cleaned up immediately
Risk of explosion if not stored properly		All fuel is to be stored in the marked areas
ргорену		Designated fueling area.
		Spill kits are kept on the premises and should be used as required.
		Fire extinguishers are available.
		Personal will be trained in refueling and operation of mobile equipment

Soda Ash

Description	Likelihood of hazard Occurring	Pre-emptive actions taken
Soda ash is loaded and unloaded	Likelihood of spillage is possible.	All trucks are loading and unloading inside the
inside shed with conveyor system		shed. Doors of shed are closed to contain dust.
or front end loader.	Likelihood of dust arising from	
	loading operations is probable	Trucks are blown down before leaving shed to
Refer to MSDS		prevent drag out.
	Soda Ash is non-toxic and generally considered safe for human consumption.	All trucks have waterproof dust proof tarps and are rubber seals to prevent spillage from tailgate.
	Soda Ash is used to alter the pH	
	of drinking water	Specially designed hoppers with baffles are
		used to minimize air displacement.

Inventory of possible pollutants

Possible Pollutants	Qty	Minimizing harm to persons on site.
Diesel Fuel	Max	Diesel Fuel is stored in a tank which is in turn stored in a large bin
	1000ltrs	to mitigate any uncontrolled leaks.
		This in turn is stored inside the warehouse away from any drains.
		Fuelling is to take place in the appropriate area.
		In the event of a machinery spillage, a spill kit should be used to
		control the spill as soon as practical.
		' '
		Major servicing of machinery is to be carried out by a licensed
		mechanic.
Petrol Fuel	Max	Diesel Fuel is stored in a tank which is in turn stored in a large bin
	20ltrs	to mitigate any uncontrolled leaks.
		This in turn is stored inside the warehouse away from any drains.
		This in turn is stored miside the warehouse away from any drains.
		Fuelling is to take place in the appropriate area.
		In the event of a machinery spillage, a spill kit should be used to
		control the spill as soon as practical.
		Major servicing of machinery is to be carried out by a licenced
		mechanic.
Hydraulic and		Mobile machinery carriers the manufacturers recommended
engine oils		amounts of oils
Soda Ash	Max	Soda Ash is stored in bulk amounts in the confines of the shed.
	16000tns	
		Soda Ash is also stored in the 1 tons bulk bags and 25kg bags in the
		confines of the shed.
		Soda ash is not classified as toxic, but can irritate the eyes and skin
		upon contact and be harmful if ingested. As a result exposure
		should be minimised.
		If dust is present the shed can be sealed to eliminate airborne
		emissions.

Safety equipment

PPE including steel capped boots is mandatory.

Spill controls kits are on site to pick up and contain any spillage within the premises.

Dust mask, eye protection are provided on site for all staff and visitors

Fire extinguishers are on site for emergency use.

Showers are available.

Local Community and Neighbors Notification and communication procedures.

> Boom Logistics	180 Shellharbour Road Kemblawarra	02 4276 6666
> BBQ Galore	131 King Street Warrawong	02 4276 2211
Fergo's Tackle World	145 King Street Warrawong	02 4225 7233
➤ Pet Select	149 King Street Warrawong	02 4275 1112
> Best Sheds	223 Shellharbour Road Kemblawarra	02 4648 7777

Communicating with neighbours and the local community

In an event of the incident, subject to advice from the regulatory authorities, the following methods of communication are able to be used to communicate with the local community.

Communication Modes

- > Call all neighbours
- Signage
- Doorknock
- Update webpage
- Newsletter drop

Decisions to notify neighbours and local community will be made in consultation with regulatory authorise on the initial risk assessment (for example, consider the risk of pollutant)

Advise provided to the community will depend on the type and extant of the pollution incident and guidance from the regulatory authorities.

The types of pollution events likely to occur at the Lodehaul site are unlikely to be a major health risk. The most likely events are to be dust issues.

The majority of potential pollutions on site are:

Fuels, oils and cleaners associated with the maintenance and servicing of machinery.

Appropriate quantities for regular use are stored as per recommendations.

The site specific emergency response procedures include

On site fire

Vehicle liquid spill

External emergencies (flood, earthquake storm etc.)

The site has both spill kits and fire extinguishers.

Soda Ash

Loading and unloading operations are conducted entirely within sheds.

Spillages outside would only occur from trucks.

Truck tail gates are checked and sealed if required in the shed.

Trucks can only leave with waterproof tarping systems.

Actions to be taken during or immediately after a pollution incident

Pollution control action

- If an incident occurs, try to contain the spill or fire.
- Contact the office for help.
- The contact person will contact emergency services if needed.
- The contact person will contact neighbours and the local community if needed.
- Report incident to the EPA.
- When incident is contained:
- Contact neighbours to inform that the incident has ceased.
- Investigate cause of incident and create CAR to prevent reoccurrence.
- Implement CAR.
- > Write report.
- Clean up site if required using qualified personnel.
- > Train personnel if required on incident.

In the case of a diesel or fuel spill, persons involved in the clean-up should use the appropriate PPE.

If a diesel fire is present proper breathing equipment should be worn. Persons suffering nausea after exposer to the fumes should be taken to an area devoid of any smoke and fumes.

In the case of a fuel spill, every effort should be made to eliminate access to waterways. Spill kits should be used to contain any spill.

In the case of a fuel fire: try to put it out using the appropriate equipment if the fire is out of control contact the local fire department.

If the fire is going to impact on the adjoining properties the owners must be informed of the incident.

The site clean-up should be undertaken asap so as to avoid any further impact on the environment.

Coordinating with persons

Notify the authorities of any spills if the incident warrants as per numbers at top of form.

If neighbouring properties are affected notify neighbours through the emergency response plan. Inform the local community if incident warrants.

All communications to go through the notifying person.

Staff training

Staff are inducted into the worksite, and trained in this plan.

Staffs are trained in driving and fuelling the mobile machinery.

External mechanics used are licenced mechanics.

Testing of PIRMP

This plan will be tested routinely every twelve month period, or within one month of any pollution incident occurring in the course of an activity to which the licence relates.

Test will incluided the following procedures.


- > Is all the information within the plan accurate and up to date?
- Are all the sections of the plan workable, and can they be implemented in an effective manner.

These questions will be asked at the annual staff training. If there is not an affirmative answer to these questions, management will ensure the plan is revised and updated.

The plan will be revised within two months if these questions cannot be answered affimatively.

Reason For Testing	Date of Test	Persons Present	PRIMP Updated
Annual Test	08.07.19	Paul Bush, Raquel Moulds	No other updates required
Update Only	16.12.19	Raquel Moulds, Paul	Neighbours Details Updated.
		Bush,	No other updates required.
Annual Test	03.08.2020	Raquel Moulds Paul Busch	No other updates Required
Update Check	17.02.2020	Raquel Moulds Paul Busch	No updates Required
Only		Paul Busch	
Annual Test	15.10.2021	Raquel Moulds Paul Busch	No other updates Required
Update Check	15.10.2021	Raquel Moulds	No other updates Required
Only		Paul Busch	
Annual Check	28.10.2022	Raquel Moulds Paul Busch	No Updates Required
Update Check	28.10.2022	Raquel Moulds Paul	No other updates Required
Only		Busch	
Annual Check	17.10.2023	Raquel Moulds Paul Busch	No updates Required
Update check	17.10.2023	Raquel Moulds, Paul Busch	No other updates Required
Ony		DUSCII	

Site Plan



Location of Pollutants

